

# Receiving Report

Date: 11/07/12

Batch No: M117683

Supplier: JHX55E/KWPP

Dart P/O: 14008

Packing Slip: Yes  No   
 Invoice: Yes  No   
 Receipt: Cash  Cr

Release Note Attached: Yes  No  N/A  
 Waybill Attached: Yes  No  N/A  
 Shipment Complete: Yes  No  N/A  
 QC6 Inspection ✓ N/A  
 Work Order ✓ N/A

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 CL

Production/Admin:

Date 11/07/12

Received/Costing

Initial Z

Location

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 9057389033

I N G No: PEC 709926  
Ship Date 09May11 at 7:47 From PFW  
Probill  
Via VIM TRANSFER TRUCK  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE  
1270 ABERDEEN ST  
HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

1) Our Order PEC-328930- 1 Your PO # PO14008  
Part # M174R0.75 Rel #  
STAINLESS STEEL ROUND BAR 17-4 STAINLESS  
.750" DIA X 144.0000"

Heat Number Tag No  
153378 192052

Quantity PCS Wt LBS  
36 FT 3 54

	Tags	PCS	LBS
TOTAL:	1	3	54

**Heat Number**                    \*\*\* Chemical Analysis \*\*\*  
153378

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

TO SHIFTING:  
ATTN: CHANTAL/LINDA ~~REMOVED~~  
\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*  
\*\* REFERENCED ON IT \*\*

TOTAL 1 BDL G.W. 60 LBS;

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA  
CONCORD, ONT.\*            \*\*\* 9:00 AM TO 4:00 PM \*\*\*

\*\*\*\*\* TEL. 800-926-2600 \*\*\*\*\*

\* WE STOCK STAINLESS STEEL.

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

Page: 1 ....Continued

**TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.**

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCandise MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION  
TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

## B I L L O F L A D I N G

No: PEC 709926

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 9057389033

Ship Date 09May11 at 7:47 From PFW  
Probill  
Via VIM TRANSFER TRUCK  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1 )  
DART AEROSPACE

## B I L L O F L A D I N G

\*\*\*\*\*  
\*\*\*PLEASE NOTE A \$20.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER.\*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE

RAPPORTÉES IMMÉDIATEMENT

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

MERCANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

## B I L L O F L A D I N G

No: PEC 709926

Ship From:  
 THYSSENKRUPP MATERIALS NA.  
 2821 LANGSTAFF ROAD  
 CONCORD, ONTARIO L4K 5C6  
 Tel: 905 669 9444 Fax: 9057389033

Ship Date, 09May11 at 7:47 From PFW  
 Probill  
 Via VIM TRANSFER TRUCK  
 FOB CONCORD  
 Frt PREPAID  
 Route 0-0 Manifest  
 Vhcle 1 Trailer  
 Slp STAN IVERS (905-532-1350)  
 Sold To: ( 20115)  
 DART AEROSPACE

Ship To: ( 1 )  
 DART AEROSPACE

## B I L L O F L A D I N G

\*\*\*\*\*PLEASE NOTE A \$20.00 ENERGY SURCHARGE WILL BE  
 ADDED TO EVERY ORDER.\*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL ROUND BAR 17-4 STAINLESS  
750" DIA X 144.0000"  
PART NO. M174R0.75

PO/RD PO14008

We certify that this is a true copy of the report  
furnished by the producer of the metal, or data  
resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-709926-001

9May11

Pg 1/2

Signed by: Karen

### CERTIFICATE OF TESTS

CERT SERIAL# 000755587



**TALLEY METALS**  
A Carpenter Company

Talley Metals Technology, Inc.  
205 Talley Metals Lane  
McBee, SC. 29101 Tel: (610) 208-2000 (800) 338-4592

### ABNAHMEPRUEFZEUGNIS

### CERTIFICAT DE CONTROLE

- THE RECORDING OF FALSE, LITIGIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHAS AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

01/06/11

CUSTOMER/BESTELLER/CLIENTE

SELLER/VERKAUFER/VENDEUR PAGE 1 OF 2

THYSSENKRUPP MAT'LS. CA LTD  
PECKOVER'S  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO  
L4K 5C6 , CANADA

TALLEY METALS TECH, INC.  
ACCOUNTS PAYABLE  
P. O. BOX 2498  
HARTSVILLE , SC 29551

CUSTOMER ORDER NO./BESTELL-NR./N° DE COMMANDE	CARPENTER NO./WERKS-NR./N° DE REFERENCE INTERN	DATE/DATUM/DATE	WEIGHT/GEWICHT/POIDS
PEC-226393-001	TLY674001 L10631	01/06/11	1034.000

HEAT NUMBER / SCHMELZE-NR. / N° DE COULEE:

153378

PRODUCT DESCRIPTION: TYPE 17-4 SOLUTION ANNEALED COLD FINISH

SPECIFICATION: TALLEY 17-4T3A CAP OF H900  
 AMS 2303 REV E (10/01)  
 AMS 2315 REV F (01/08)  
 AMS 5643 REV R (02/08) UNS S17400  
 ASTM-A484-09  
 ASTM-A564-04 (2009)  
 ASME-SA564 2007 EDITION-09B ADDENDA AISI 630

8 (4512)

SIZE 0.750000 IN. ( 19.05 MM) RD BAR

PRIMARY HEAT CHEMISTRY(WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

C (COM)	MN (XRF)	SI (XRF)	P (XRF)	S (COM)	CR (XRF)
0.031	0.85	0.44	0.021	0.025	15.23
NI (XRF)	MO (XRF)	CU (XRF)	N (FUS)	CB (XRF)	TA (XRF)
4.28	0.17	3.68	0.049	0.25	LT .02

CB+TA  
0.27

THIS HEAT MELTED BY THE ARC/AOD PROCESSES  
 THIS MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH CARPENTER SPECIALTY ALLOYS  
 OPERATIONS QUALITY PROGRAM MANUAL REVISION 29, DATED 09/01/10.

DISCS MACROETCHED AND APPROVED

HARDNESS AS SHIPPED, HBW - 311 (MIDRADIUS)

MAGNETIC PARTICLE: FREQUENCY = 0 / SEVERITY = 0  
 \*\*\*FERRITE TESTING PERFORMED BY LTI UNKNOWN

MICROSTRUCTURE - FERRITE - NONE

SOLUTION ANNEALED - 1900 F, 1 HOUR - RAPID COOL

CONTINUED ON NEXT PAGE

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.  
 Die vorliegende Zertifizierung ist nur für den in diesem Formular genannten Kunden gültig. Carpenter übernimmt gegenüber Dritten keinerlei Haftung für die ausgewiesenen Daten oder Zertifizierungen.  
 Ce certificat est uniquement valable pour le client dont le nom est indiqué sur ce formulaire. Carpenter n'assume pas de responsabilité pour une certification vis-à-vis d'une tierce personne.

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL ROUND BAR 17-4 STAINLESS  
750" DIA X 144.0000"  
PART NO: M174R0.75

PO/Ref PO14008

We certify that this is a true copy of the report  
furnished by the producer of the metal, or data  
resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-709926-001

9May11

Pg 2/2

### CERTIFICATE OF TESTS

CERT SERIAL# 000755587



**TALLEY METALS**  
A Carpenter Company

Talley Metals Technology, Inc.  
205 Talley Metals Lane  
McBee, SC. 29101 Tel: (610) 208-2000 (800) 338-4592

### ABNAHMEPRUEFZEUGNIS

### CERTIFICAT DE CONTROLE

- THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR WIFRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW: TITLE 18, CHAPTER 21.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSIS AND THIS IS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

01/06/11

CUSTOMER/BESTELLER/CLIENT

SELLER/VERKAUFER/VENDEUR PAGE 2 OF 2

THYSSENKRUPP MAT'L'S. CA LTD  
PECKOVER'S  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO  
L4K 5C6 , CANADA

TALLEY METALS TECH, INC.  
ACCOUNTS PAYABLE  
P. O. BOX 2498  
HARTSVILLE , SC 29551

CUSTOMER ORDER NO./BESTELL-NR./N° DE COMMANDE	CARPENTER NO./WERKS-NR./N° DE REFERENCE INTERNE	DATE/DATUM/DATE	WEIGHT/GEWICHT/POIDS
PEC-226393-001	TLY674001 L10631	01/06/11	1034.000

HEAT NUMBER / SCHMELZE-NR. / N° DE COUILLÉE : 153378  
CAPABILITY

-----  
900 F ( 482 C ), 01 HR AIR COOL

YIELD STRENGTH, (0.20 %) KSI(MPA)	211.0 { 1455 }
TENSILE STRENGTH, KSI(MPA)	212.0 { 1462 }
ELONGATION IN 1.40", %	11.0
REDUCTION OF AREA, %	51.0
HARDNESS , HBW	418.0

(CONVERTED FROM TENSILE STRENGTH)

NO WELD REPAIR PERFORMED  
MATERIAL PRODUCED ON THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A.  
MATERIAL HAS BEEN MELTED IN USA OR QUALIFYING COUNTRY TO DFARS REQUIRE-  
MENTS 252.225-7014 WITH ALTERNATE 1 FOR QUALIFYING COUNTRY 225.872.1,  
SUPERSEDED BY DFARS REQUIREMENTS DFARS 252.225-7008 AND 252.225-7009.  
WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE  
PURCHASE ORDER AND SPECIFICATION REQUIREMENTS. CERTIFICATE OF TEST IS  
PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN50049)

STEPHANIE E. MCCULLUM  
QUALITY ASSURANCE ENGINEER  
CARPENTER TECHNOLOGY CORPORATION

*Stephanie E. McCullum*

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.  
Die vorliegende Zertifizierung ist nur für den in diesem Formular genannten Kunden gültig. Carpenter übernimmt gegenüber Dritten keinerlei Haftung für die ausgewiesenen Daten oder Zertifizierungen.  
Ce certificat est uniquement valable pour le client dont le nom est indiqué sur ce formulaire. Carpenter assume pas de responsabilité pour une certification vis-à-vis d'une tierce personne.

## B I L L O F L A D I N G

No: PEC 709926

Ship From:  
**THYSSENKRUPP MATERIALS NA**  
 2821 LANGSTAFF ROAD  
 CONCORD, ONTARIO L4K 5C6  
 Tel: 905 669 9444 Fax: 9057389033

Ship Date 09May11 at 7:47 From PFW  
 Probill  
 Via VIM TRANSFER TRUCK  
 FOB CONCORD  
 Frt PREPAID  
 Route 0-0 Manifest  
 Vhcle Trailer  
 Slp STAN IVERS (905-532-1350)  
 Sold To: (20115)  
**DART AEROSPACE**  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7  
 Tel: 613-632-9577 Fax: 613-632-1053

## B I L L O F L A D I N G

1) Our Order PEC-328930- 1 Your PO # PO14008  
 Part # M174R0.75 Rel #  
 STAINLESS STEEL ROUND BAR 17-4 STAINLESS  
 .750" DIA X 144.0000"

**MTR**

Heat Number	Tag No	Quantity	PCS	Wt LBS
153378	192052	36 FT	3	54
		Tags	PCS	LBS
		TOTAL:	1	3

Heat Number \*\*\* Chemical Analysis \*\*\*  
 153378

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR  
 TO SHIPPING.

ATTN: CHANTAL/LINDA ~~EX-10~~  
 \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*  
 \*\* REFERENCED ON IT \*\*

TOTAL 1 BDL G.W. 60 LBS;

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA  
 CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*  
 \*\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*  
 \* WE STOCK STAINLESS STEEL \*  
 \* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*

Page: 1 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
 RAPPORTÉES IMMÉDIATEMENT.  
 ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY  
 RETOUR DE MARCHANDISES AVEC NOTRE NUMÉRO D'APPROBATION SEULEMENT  
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBERS

## B I L L O F L A D I N G

No: PEC 709926

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 9057389033

Ship Date 09May11 at 7:47 From PFW  
Probill  
Via VIM TRANSFER TRUCK  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slip STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1 )  
DART AEROSPACE

## B I L L O F L A D I N G

\*\*\*\*\*  
\*\*\*PLEASE NOTE A \$20.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER.\*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE  
RAPPORTEES IMMEDIATEMENT  
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY  
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT  
MERCANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

## THYSSENKRUPP MATERIALS NA

## Certificate of Mill Test Results

DART AEROSPACE

PO#RE PO101008

BL PDC 709926-001

9May11


STAINLESS STEEL ROUND BAR 134 STAINLESS  
.356 DIA X 144.0000  
PART NO: M174R0.75WE certify that this is a true copy of the report  
furnished by the producer of the metal, or data  
resulting from tests made in approved labs.Signed by: Karen

Pg 1/2

CERTIFICATE OF TESTS  
CERT SERIAL# 000755557

## ABNAHMEPRUEFZEUGNIS

## CERTIFICAT DE CONTROLE



Talley Metals Technology, Inc.  
205 Talley Metals Lane  
McBee, SC 29101 Tel: (610) 208-2000 (800) 338-4592

01/06/11  
CUSTOMER/BESTELLER/CLIENT

SELLER/VERKAUFER/VENDEUR PAGE 1 OF 2

THYSSENKRUPP MAT'L'S. CA LTD  
PECKOVER'S  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO  
L4K 5C6 , CANADA

TALLEY METALS TECH, INC.  
ACCOUNTS PAYABLE  
P. O. BOX 2498  
HARTSVILLE , SC 29551

CUSTOMER ORDER NR./BESTELL-NR./N° DE COMMANDE	CARPENTER ID./WERKS-NR./N° DE REFERENCE INTERNE:	DATE/DAFTUH/DATE	WEIGHT/GEWICHT/POIDS
PBC-226393-001	TLY674001 L10631	01/06/11	1034.000

HEAT NUMBER / SCHMELZE-NR. / N° DE COULEE: 153378

PRODUCT DESCRIPTION: TYPE 17-4 SOLUTION ANNEALED COLD FINISH

SPECIFICATION: TALLEY 17-4T3A CAP OF H900  
----- AMS 2303 REV E (10/ /01)  
AMS 2315 REV F (01/ /08)  
AMS 5643 REV R (02/ /08) UNS S17400  
ASTM-A484-09  
ASTM-A564-04 (2009)  
ASME-SA564 2007 EDITION-09B ADDENDA AISI 630

SIZE 0.750000 IN. ( 19.05 MM) RD BAR

PRIMARY HEAT CHEMISTRY(WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

C (COM)	MN (XRF)	SI (XRF)	P (XRF)	S (COM)	CR (XRF)
0.031	0.85	0.44	0.021	0.025	15.23
NI (XRF)	MO (XRF)	CU (XRF)	N (FUS)	CB (XRF)	TA (XRF)
4.28	0.17	3.68	0.049	0.25	LT .02

CB+TA  
0.27

THIS HEAT MELTED BY THE ARC/AOD PROCESSES  
THIS MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH CARPENTER SPECIALTY ALLOYS  
OPERATIONS QUALITY PROGRAM MANUAL REVISION 29, DATED 09/01/10.

DISCS MACROETCHED AND APPROVED

HARDNESS AS SHIPPED, HBW - 311 (MIDRADIUS)

MAGNETIC PARTICLE: FREQUENCY = 0 / SEVERITY = 0  
\*\*\*FERRITE TESTING PERFORMED BY LTI UNKNOWN


MICROSTRUCTURE - FERRITE - NONE

SOLUTION ANNEALED - 1900 F, 1 HOUR - RAPID COOL

CONTINUED ON NEXT PAGE

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.  
Die vorliegende Zertifizierung ist nur für den Kunden in diesem Formular gültig. Carpenter übernimmt weder die Haftung für die ausgetauschten Daten oder Zeinfizierungen.  
Ce certificat est uniquement valable pour le client dont le nom est figuré sur ce formulaire. Carpenter n'assume pas de responsabilité pour la certification vis-à-vis d'une tierce personne.

F081 E2-356



## THYSSENKRUPP MATERIALS NA

## Certificate of Mill Test Results

DART AEROSPACE

PO#Re: PO1400NS

EL-PBC-709926-003

9May11

STAINLESS STEEL ROUND BAR 17-4 STAINLESS  
750' DIA X 14600000  
PART NO: M1144R075WE CERTIFY THAT THIS IS A TRUE COPY OF THE REPORT  
ISSUED BY THE PRODUCER OF THE METAL, OR DATA  
REPORTED FROM TESTS MADE IN APPROVED LABS.Signed by \_\_\_\_\_  
Pg 322CERTIFICATE OF TESTS  
CERT SERIAL# 000755587

## ABNAHMEPRUEFZEUGNIS

## CERTIFICAT DE CONTROLE



Talley Metals Technology, Inc.  
205 Talley Metals Lane  
McHec, SC 29101 Tel: (610) 204-2000 (800) 338-4592

- THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR INORIES ON THIS DOCUMENT MAY BE PUNISHED AS A CRIME UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 27.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSIS AND THIS IS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER CCR# NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

01/06/11  
CUSTOMER/BESTELLER/CLIENT

SELLER/VERKAUFER/VENDEUR PAGE 2 OF 2

THYSSENKRUPP MAT'L'S. CA LTD  
PECKOVER'S  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO  
L4K 5C6 , CANADA

TALLEY METALS TECH, INC.  
ACCOUNTS PAYABLE  
P. O. BOX 2498  
HARTSVILLE , SC 29551

CUSTOMER ORDER NO./BESTELL-NR./N° DE COMMANDE	CARPENTER NO./WERKS-NR./N° DE REFERENCE INTERNE	DATE/DATUM/DATE	WEIGHT/GEWICHT/Poids
PEC-226393-001	TLY674001 L10631	01/06/11	1034.000

HEAT NUMBER/SCHMELZE-NR./N° DE COULIER: 153378  
CAPABILITY

900 F ( 482 C ), 01 HR	AIR COOL
YIELD STRENGTH, (0.20 %) KSI (MPA)	211.0 ( 1455 )
TENSILE STRENGTH, KSI (MPA)	212.0 ( 1462 )
ELONGATION IN 1.40", %	11.0
REDUCTION OF AREA, %	51.0
HARDNESS , HBW	418.0

(CONVERTED FROM TENSILE STRENGTH)

NO WELD REPAIR PERFORMED  
MATERIAL PRODUCED ON THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A.  
MATERIAL HAS BEEN MELTED IN USA OR QUALIFYING COUNTRY TO DFARS REQUIREMENTS 252.225-7014 WITH ALTERNATE 1 FOR QUALIFYING COUNTRY 225.872.1,  
SUPERSEDED BY DFARS REQUIREMENTS DFARS 252.225-7008 AND 252.225-7009.  
WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE PURCHASE ORDER AND SPECIFICATION REQUIREMENTS. CERTIFICATE OF TEST IS PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN50049)

STEPHANIE E. MCCULLUM  
QUALITY ASSURANCE ENGINEER  
CARPENTER TECHNOLOGY CORPORATION

*Stephanie E. McCullum*

This certification is made to the customer named on this form. Carpenter Technology makes no assumes responsibility for any reprocessing or certification to other parties.  
Die vorliegende Zertifizierung ist nur für den Kunden gültig. Carpenter übernimmt keine Haftung für die ausgetauschten Daten oder Zertifizierungen.  
Ce certificat est uniquement valable pour le client dont le nom est figuré sur ce formulaire. Carpenter assume pas la responsabilité pour une certification vis-à-vis d'une tierce personne.

LUBRI-12-166



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

\*\*\*PO REPRINT\*\*\*

Purchase Order ID PO14008

Purchase Order Date 5/4/2011  
PO Print Date 5/6/2011

Page Number 1 of 1

Order From : VC-COP001

THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

Contact Name	Buyer	Chantal Lavoie
Vendor Phone	Requisition Nbr	
Vendor Fax	Tax Resale Nbr	10127-2607
Vendor Account Nbr	Terms	Net 30
	Currency	CAD
	FOB	Destination-Collect

Ship To : DART AEROSPACE LTD 1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

FAXED  
FOLIO#504

Line Nbr	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
	Vendor Part Number						
1	M174R0.750	17-4 round bar .750	5/10/2011 Yes	36.00 f	Yours ppd	\$6.2800	\$226.08
		Special Inst:		MATERIAL: 17-4 PH /S17400/ TYPE 630 SS ROUND BAR AS PER AMS 5643/ASTM A564			
						PO Total:	\$226.08

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 3


Change Date: 5/6/2011



TRANSMISSION VERIFICATION REPORT

TIME : 05/06/2011 10:00  
NAME :  
FAX :  
TEL :  
SER. # : F9N212739

DATE, TIME	05/06 10:00
FAX NO./NAME	19057389033
DURATION	00:00:19
PAGE(S)	01
RESULT	OK
MODE	STANDARD
	EOM



## Purchase Order Receipt Listing

Page 1 of 1

*Thursday, May 12, 2011 7:39:17 AM*

All amounts are calculated in domestic currency.

All Vendors PO ID PO14008 Receipt Dates from 5/12/2011 to 5/12/2011 All Line Item Types

All Item ID/GL/WOs    All Rec. Employees    All Currencies

### Grouped by Vendor ID